

型号:WT73UFY 日期:2018/01/24 版本号:V1.0

# >>>产品参数 Specification <<<

Page

1/2

#### H3 9662 73X23mm Wet Inlay

湿Inlay尺寸 Wet inlay Size

73x23mm

天线尺寸/材质 Antenna Size / Material

70x17mm

PET

厚度 Thickness

0.07-/+0.03mm

芯片 Chip

H3 9662

频段/协议 Resonance Frequency/ Protoco

850-960Mhz

ISO18000-6C

内存 Memory

UID: 4B NUID

Memory User memory: 1024 bits

Origination: 16 sectors a 64 byte

芯片使用寿命 IC Life


10万次擦写,数据保存10年

100,000 Programming cycles, 10years data retention


读距/读写器 Reading Distance/Reference Reader

6-8m


RS-1300



实物图(Product Image)



天线图(Antenna)



结构图(Structure)

用途 Application

地铁车票 / 公交电子门票 / 物流 / 图书馆/ 等等

Subway tickets/ Bus RFID ticket/ Logistics/ Library



型号:WT73UFY 日期:2018/01/24 版本号:V1.0

## >>>产品参数 Specification <<<

Page

2 /2

## **H3 9662 73X23mm Wet Inlay**

特殊工艺 Features/Option

铝蚀刻

Aluminium Etched Antenna

包装 Packing









塑封、防潮包装、中性标签	数量/卷状	数量/箱	箱子尺寸
Plastic	Qty/Roll	Qty / carton	Dimension
Water-proof			
Neutral packing	2000 pcs	4000 pcs	22x22x15CM
		8000pcs	44x44x14CM

#### 操作/储存 温度 Temperature / Humidity

操作温度 (Operating Temperature/Humidity):[-15° C to +70° C] 20% to 90% RH Non-condensing; 适用温度 (Storage Temperature/Humidity):[-25° C to +50° C] 20% to 90% RH Non-condensing;

保质期 Shelf Life

使用防静电袋密封包装、在+23°C±5°C/50%±10%RH条件下2年。

From the date of manufacture, 2 year in vacuumed bag at +23°C±5°C / 50%±10%RH).